



"When Quality matters"
NH-36V8-600

Features:

1. SONY 1/3" SUPER HAD High Resolution CCD Sensor
2. Built-in auto gain control (AGC) circuit
3. Built-in auto electronic shutter function
4. Gamma characteristic is 0.45
5. Scanning mode NTSC/PAL
6. Night-time Vision

"When Quality matters"
NH-36V8-600

Specification:

1. 600 TVL
2. 2:1 Interlace
3. S/N Ratio >48dB
4. Internal Synchronization
5. AES Speed 1/100,000s
6. IR Distance 50m
7. 4.9mm Lens
8. Water Resistance IP66



Analog CCD Security Camera

All pixels in the array have the exact same shutter speed

- Every pixel in a CCD camera receives exactly the same exposure
- Result
 - Bright areas are overexposed
 - Dark areas are underexposed

One aperture

Pixim's Digital Pixel System® Technology

Pixels in bright areas automatically adjust to eliminate overexposure

- Only all-digital solution
- Every pixel automatically adjusts to produce an optimal exposure
- Its like having over 400,000 self-adjusting cameras inside – one for every pixel
- Every Pixel Tells a Story

Pixels in dark areas automatically adjust to eliminate underexposure



Complete SECURITY Solutions
 "protecting your business and the environment"
www.greenearthsystems.com.au